CERTIFICATE OF COMPLIANCE

 Certificate Number
 20140529-E245640

 Report Reference
 E245640-20081201

Issue Date 2014-MAY-29

Issued to: ShenZhen RiHuiDa Power Supply Co.,Ltd.

2,3 & 4F, Building B, Rihuida Technology Park,28
Hongyuan Rd,Pingdong Community,Pingdi Sub-District,
Longgang District.SHENZHEN GUANGDONG 518117

CHINA

This is to certify that representative samples of

DIRECT-PLUG-IN AND CORD-CONNECTED CLASS 2

POWER UNITS

REFER TO ADDENDUM PAGE FOR MODELS

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: Class 2 Power Units, UL 1310, Power Supplies with Extra-

Low-Voltage Class 2 Outputs, CAN/CSA C22.2 No 223-

M91

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: ^(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William D. Comor Discoster North American C

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

(III)

CERTIFICATE OF COMPLIANCE

20140529-E245640 **Certificate Number** E245640-20081201 **Report Reference** 2014-MAY-29 **Issue Date**

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL, CNL - Class 2 Power Units, Models RHD10WXXXYYY, RHD20WXXXYYY, RHD30WXXXYYY, RHD50WXXXYYY, RHD75WXXXYYY (XXX can be 033 to 360, denote output voltage; YYY can be 005 to 500, denote output current),

Welliam R. Carry

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, plea contact a local UL Customer Service Representative at www.ul.com/contactus

